		ACT/ORDER FOR omplete Block 12, 17,		_		Requisition SEE SCHEDU			Page	1 <b>Of</b> 8	
2. Contract No. DAAE07-03-P-T2				5. 1	Solicitation 1	ation Number 6. Solici			tation Issue	e Date	
7. For Solicitation Information Call:		A. Name SCOTT RYBICKI				B. Telephone Number (No Collect Calls) 8. Offer (586) 574-4288				Due Date/l	Local Time
9. Issued By Code W56HZV  TACOM AMSTA-LC-CJT WARREN, MICHIGAN 48397-5000				X Unrestri	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7					12. Discou	int Terms
HTTP://CONTRACTING.TACOM.ARMY.MIL					I Business I Disadv Business  I Disadv Business  I Disadv Business  I Disadv Business						
				8(A)			13b. Rati	DONT			
e-mail: RYBICKSC@	TACOM.AR	MY.MIL		SIC: Size Standa	rd:		14. Metho	od Of Solicitation IFB		RFP	
15. Deliver To	TATION OF	Code	W25G	10 16. Adminis		y				Code	S1403A
XU TRANSPOR DDSP NEW CU BUILDING MI NEW CUMBERL	MBERLAND SSION DOO	FACILITY		1523 WE	EST CEN	TRAL ROAD, GHTS IL					
Telephone No. 17. Contractor/Offe	eror Co	de 7L781 Facil	ity			Be Made By	Ŧ			Code	HQ0339
TIRE MART, 1815 LOCUST						US CENTER ENTITLEMEN	T OPERAT	TONS			
ST. LOUIS,	MO 63103	3-1797		P.O. BO	DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381						
Telephone No.  17b. Check If Remittance Is Different And Put Such 18b. Subn					t Invoice	es To Addre	ss Shown	In Block 18a Unle	ss Block I	Below Is Ch	ecked
Address I	In Offer		20.		See A	addendum 21.	22.	23.		,	24.
Item No.		Schedule Of S		Services		Quantity Unit Unit Price				24. 10unt	
		SEE SCHE		s Nagassary)							
25. Accounting And	Appropri	ation Data		26FB S201	13 W56H	HZV		<b>26. Total Award</b> \$271.83	Amount	(For Govt.	Use Only)
27a. Solicitation	n Incorpor	ates By Reference FA	R 52.212	2-1, 52.212-4. FAR	52.212-	3 And 52.21	2-5 Are A	tached.	Are	Are Not	Attached.
X 27b.Contract/P	urchase O	rder Incorporates By	Referen	ce FAR 52.212-4. I	FAR 52.2	212-5 Is Atta	ached. Ac	ldenda	Are	Are Not	Attached.
	_	Sign This Document			_			et: Reference			Offer
		actor Agrees To Furi I Above And On Any			To Including Any Additions Or Changes Which Are Set Forth Herein Is						
The Terms And Con 30a. Signature Of O						Accepted As		: ca (Signature Of (	Contractii	ng Officer)	
								··· (≈ · <b>g</b> -····		- <b>g</b>	
30b. Name And Title Of Signer (Type Or Print) 30c. Date Signed				nte Signed	31b. Name Of Contracting Officer (Type Or Print) BRUCE W. RALEIGH /SIGNED/ RALEIGHB@TACOM.ARMY.MIL (810)574-4295				31c. Date	Signed	
32a. Quantity In Column 21 Has Been					33. Ship Number			34. Voucher Nu	mber		nt Verified
Received Inspected Accepted And Conforms To				rms To The	Pa	rtial	Final	-		Corr	ect For
Contract Except As Noted  32b. Signature Of Authorized Government Representative 32c. I				32c. Date	36. Pa	•	□ <b>n</b>	. Dr		37. Chec	k Number
S						omplete R Account N	Parti umber	al Final 39. S/R Voucher		40. Paid	Ву
					42a. R	eceived By (	(Print)			-	
41a. I Certify This Account Is Correct And Proper For Payment 41b. Signature And Title Of Certifying Officer 41c				ment 41c. Date	42b. Received At (Location)			-			
					42c. D	ate Recd (Y	YMMDD)	42d. Total Co	ntainers		

### **CONTINUATION SHEET**

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-P-T230

MOD/AMD

Page 2 of 8

Name of Offeror or Contractor: TIRE MART, INC.

SUPPLEMENTAL INFORMATION

1

Regulatory Cite	Title	Date
52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2001

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<a href="http://contracting.tacom.army.mil/opportunity.htm">http://contracting.tacom.army.mil/opportunity.htm</a>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <a href="http://contracting.tacom.army.mil/userguide.htm">http://contracting.tacom.army.mil/userguide.htm</a> and <a href="http://contracting.tacom.army.mil/ebidnotice.htm">http://contracting.tacom.army.mil/userguide.htm</a> and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <a href="http://contracting.tacom.army.mil/userguide.htm">http://contracting.tacom.army.mil/userguide.htm</a> and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: <a href="mailto:acqcenweb@tacom.army.mil">acqcenweb@tacom.army.mil</a>
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <a href="http://www.ecrc.ctc.com">http://www.ecrc.ctc.com</a>

[End of Clause]

CONTINUATION SHEET

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-P-T230 MOD/AMD

Page 3 of 8

Name of Offeror or Contractor: TIRE MART, INC.

SUPPLIES OR SERVICES AND PRICES/COSTS				
NSN: 2610-01-397-8794 FSCM: 01059 PART NR: MR-16HD-700/750/L78-16 SECURITY CLASS: Unclassified				
Inner Tube, Pnuematic Passenger Car M16 HD 7.00/7.50-16LT L78-16LT TR15CW, Off-Center Varies from 1-1.25" Synthetic Rubber, Heavy Duty Construction Splice Min. Rated Tensile Strength: Unaged Tube Crown: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Approved Supplier (Cooper P/N 0424) will be provided.				
(End of narrative A001)				
PRODUCTION QUANTITY	39	EA	\$6.97000	\$\$
NOUN: INNER TUBE, PNEUMATI PRON: EH386325EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER				
Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination				
Deliveries or Performance           DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           001         W56HZV23641879         W25G1U         J         2           DEL REL CD         QUANTITY         DEL DATE           001         39         03-APR-2003				
FOB POINT: Destination  SHIP TO: PARCEL POST ADDRESS  (W25G1U) XU TRANSPORTATION OFFICER  DDSP NEW CUMBERLAND FACILITY				
	FSCM: 01059 PART NR: MR-16HD-700/750/L78-16 SECURITY CLASS: Unclassified  Inner Tube, Pnuematic Passenger Car M16 HD 7.00/7.50-16LT L78-16LT TR1SCW, Off-Center Varies from 1-1.25" Synthetic Rubber, Heavy Duty Construction Splice Min. Rated Tensile Strength: Unaged Tube Crown: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Approved Supplier (Cooper P/N 0424) will be provided.  (End of narrative A001)  PRODUCTION QUANTITY  NOUN: INNER TUBE, PNEUMATI PRON: EH386325EH PRON AMD: 01 ACRN: AA AMS CD: 070011  Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER  PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV23641879 W25GIU J 2 DEL REL CD QUANTITY DEL DATE 001 39 03-APR-2003  FOB POINT: Destination  SHIP TO: PARCEL POST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER	FSCM: 01059 PART NR: NR-16HD-700/750/L78-16 SECURITY CLASS: Unclassified  Inner Tube, Pnuematic Fassenger Car M16 HD 7.00/7.50-16LT L78-16LT TR15CW, Off-Center Varies from 1-1.25" Synthetic Rubber, Heavy Duty Construction Splice Min. Rated Tensile Strength: Unaged Tube Crown: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Approved Supplier (Cooper P/N 0424) will be provided.  (End of narrative A001)  PRODUCTION QUANTITY  NOUN: INNER TUBE, PNEUMATI PRON: EH3863258H PRON AMD: 01 ACRN: AA AMS CD: 070011  Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER  Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PACKING: Commercial LEVEL PACKING: Commercial LEVEL PACKING: Commercial Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination  Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV23641879 W25GIU J 2 DEL REL CD GUANTITY DEL DATE 001 39 03-APR-2003  FOB POINT: Destination  SHIP TO: PARCEL FOST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER	FSCM: 01059 PART NR: MR-16HD-700/750/L78-16 SECURITY CLASS: Unclassified  Inner Tube, Pnuematic Passenger Car M16 ED 7.007.50-16LT L78-16LT TR15CW, Off-Center Varies from 1-1.25* Synthetic Rubber, Heavy Duty Construction Splice Min. Rated Tensile Strength: Unaged Tube Grown: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Approved Supplier (Cooper P/N 0424) will be provided.  (End of narrative A001)  PRODUCTION QUANTITY  39 EA  NOUN: INNER TUBE, PNEUMATI PRON: EH386325EH PRON AMD: 01 ACRN: AA AMS CD: 070011  Description/Specs./Work Statement QUANTITY VARIATION: 2% OVER 2% UNDER  PACKAGING/PACKING/SPECIFICATIONS: MILT4 LEVEL PRESERVATION: Commercial LEVEL PRESERVATION: Commercial LEVEL PRESERVATION: Destination  Peliveries or Performance DOC SUPPL REL CR MILSTEIR ADDR SIG CR MARK FOR TP CD 001 WSGEW223641879 M25GIU J 2  PEL REL CR OUANTITY DEL DATE 001 39 03-APR-2003  FOB POINT: Destination  SHIP TO: PARCEL POST ADDRESS (W25GIU) XU TRANSPORTATION OFFICER	FROM: 01059 PART NR: MR-16HD-700/750/L78-16 SECURITY CLASS: Unclassified  Enner Tube, Pnuematic Fassenger Car M16 HD 7.00/7.50-16LT L78-16LT FRISCW.Off-Center Varies from 1-1.25' Synthetic Rubber, Heavy Duty Construction Splice Min. Rated Tensile Strensth: Unaged Tube Wall: Greater than 1200 PSI Unaged Tube Wall: Greater than 1200 PSI Approved Supplier (Cooper P/N 0424) will be provided.  (End of narrative A001)  FROM: ENSE TUBE, PNEUMATI FRON: ENSE 325EH PRON AMD: 01 ACRN: AA AMS CD: 070011  Description/Specs,/Mork Statement QUANTITY VARIATION: 28 OVER 28 UNDER  Fackagins and Marking PACKAGING/PACKING/SPECIFICATIONS: MILTY LEVEL PRESENVATION: Commercial Description: Destination ACCEPTANCE: Destination  Deliveries of Performance DOC SUPPL BEL_CD MILSTRIE ADDR SIG_CD MARK FOR TP_CD 001 MS6HW203641879 W35G1U J 2 DEL REL_CD OLUANTITY DEL DATE 001 39 03-AFR-2003  FOR POINT: Destination  FOR POINT: Destination  SHIP TO: PRECEL FOST ADDRESS (W35G1U) XU TRANSPORTATION OFFICER

**CONTINUATION SHEET** 

## Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-P-T230

MOD/AMD

Page 4 of 8

Name of Offeror or Contractor: TIRE MART, INC.

EM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	BUILDING MISSION DOOR 113 134				
	NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER DAAE07-03-P-T230/0000				
	DAAE07 03 F 123070000				

# CONTINUATION SHEET Reference No. of Document Being Continued Page 5 of 8 PIIN/SIIN DAAE07-03-P-T230 MOD/AMD

Name of Offeror or Contractor:  ${\tt TIRE\ MART}$  , inc.

PACKAGING AND MARKING

2 52.211-4013 BAR CODE MARKING JAN/2001

(TACOM)

- a. Bar code markings are required on all containers and loose or unpacked items as specified in MIL-STD-129N, paragraph 4.2.3. The bar code symbology shall comply with AIM BC 1. The following shall be bar coded:
  - (1) National Stock Number (NSN) / NATO stock number shall be bar coded on all unit packs and intermediate containers.
- (2) The exterior container shall be bar coded with the NSN/NATO stock number and the contract or purchase order number(including the call number).
  - (3) Items that are serial numbered shall have the serial number bar coded.
- (4) Exterior boxes and crates 10 cubic feet and over shall be bar coded on one end of the container as well as on the identification marked side
- (5) Contractor or vendor-originated shipments destined for outside continental United States(OCONUS) and shipped through the Defense Transportation System(DTS)(transshipment) shall comply with the address marking instructions in DoD 4500.32-R, Volume I, which requires the address markings to be placed on a bar coded DD Form 1387. For these shipments, bar code labels may be affixed to the DD Form 1387 as an alternative to direct bar coding of the DD Form 1387. Destinations such as Hawaii, Alaska, Puerto Rico, Canada, and Mexico are considered OCONUS sites and require bar coded DD Form 1387 address labels, see MIL-STD-129, paragraph 4.3.
  - b. Information and illustrations on bar code markings are contained in MIL-STD-129N and in MIL-HDBK-129.  $(end \ of \ clause)$

DELIVERIES OR PERFORMANCE

3 52.211-16 VARIATION IN QUANTITY APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

2 percent increase; and 2 percent decrease.

(c) This increase or decrease shall apply to the entire order.

[End of Clause]

CONTINUATION SHEET			Refe	Page 6 of 8							
CONTINUATION SHEET				PIIN/SIIN DAAE07-03-P-T230				MOD/	AMD		
Name	of Offeror or	Contractor	TIRE MART,	INC.							
CONTRAC	T ADMINISTRA	TION DATA									
LINE	PRON/	OBLG					JOE ORL		ACCOUNTI	NC	OBLIGATED
ITEM_	AMS CD	ACRN STAT	ACCOUNTING	CLASSIFICATION			-	IBER	STATION	.NG	AMOUNT
0001AA	EH386325EH	AA 2		C6D 6D	26FB	S20113		<del></del>	W56HZV	\$	271.83
									TOTAL	\$	271.83
SERVICE	1							ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION				STATI	ON		AMOUNT
Army		AA	97 X4930A	.C6D 6D	26FB	S20113		W56HZ	V	\$ _	271.83
									TOTAL	\$	271.83

#### Reference No. of Document Being Continued Page 7 of 8 **CONTINUATION SHEET** PIIN/SIIN DAAE07-03-P-T230 MOD/AMD Name of Offeror or Contractor: TIRE MART, INC. SPECIAL CONTRACT REQUIREMENTS 252 225-7001 BILY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM MAR / 1998 CONTRACT CLAUSES 5 52.232-33 PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION MAY/1999 6 52.247-34 F.O.B. DESTINATION NOV/1991 DIVERSION OF SHIPMENT UNDER F.O.B. DESTINATION CONTRACTS 7 52.247-54 MAR / 1989 8 252.225-7021 TRADE AGREEMENTS OCT/2002

(a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Government's right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection or inspection and acceptance have occurred.

APR/1984

CERTIFICATE OF CONFORMANCE

- (b) The Contractor's signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration (Block 10 of the DD Form 250) is performed by the Defense Contract Administration Services. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.
- (c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractor's expense.
  - (d) The certificate shall read as follows:

9

52.246-15

I certify that on(date), the(insert Contractor's name) furnished the supplies or services called for by Contract number
via (Carrier) on (Identify the bill of lading or shipping document) in accordance with all applicable
requirements. I further certify that the supplies or services are of the quantity specified and conform in all respects with the
contract requirements, including specifications, drawings, preservation, packaging, packing, marking requirements, and physical item
identification (part number), and are in the quantity shown on this or on the attached acceptance document.
Date of Execution:
Signature:
Title:

[End of Clause]

ADDITIONAL REQUIREMENTS (TACOM) (NOV 1983)

- (a) The Certificate of Conformance shall be executed by an official authorized to sign the contract.
- (b) In addition to the required distribution of the Certificate(s) as set forth in FAR 52.246-15, the Contractor shall distribute an additional copy of each Certificate to the Procuring Contracting Officer.

[End of Requirements]

10 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

CONTINUATION SHEET	Reference No. of Document B	Page 8 of 8	
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-P-T230	MOD/AMD	
Name of Offeror or Contractor: TIRE MART,	INC.		

[End of Clause]